	Application No.	Applicant(s)
Notice of Allowability	10/510,411	ZAGHOUANI ET AL.
	Examiner	Art Unit
	G. R. Ewoldt, Ph.D.	1644
	G. N. Ewoldt, I II.D.	1044
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate communication is second communication.	n this application. If not included unication will be mailed in due course. THIS
1. This communication is responsive to <u>1/20/10</u> .		
2. The allowed claim(s) is/are <u>47,55,56,59,61</u> .		
 3.		or (f).
Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s)	5 🗖 Nation of In	formed Detect Amelication
1. Notice of References Cited (PTO-892)		formal Patent Application
 Notice of Draftperson's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO/SB/08), 	Paper No./	ummary (PTO-413), Mail Date <u>attached</u> . Amendment/Comment
Paper No./Mail Date		
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	_	Statement of Reasons for Allowance
	9.	-

Application/Control Number: 10/510,411

Art Unit: 1644

EXAMINER'S AMENDMENT

Page 2

1. An Examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

2. Authorization for this Examiner's Amendment was given in a telephone interview with David Fournier on 2/01/10.

IN THE CLAIMS

- 3. Claim 54 has been canceled.
- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dr. Gerald Ewoldt whose telephone number is (571) 272-0843. The examiner can normally be reached Monday through Thursday from 7:30 am to 5:30 pm. A message may be left on the examiner's voice mail service. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dr. Ram Shukla can be reached on (571) 272-0878.
- 5. Please Note: Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/G.R. Ewoldt/
G.R. Ewoldt, Ph.D.
Primary Examiner
Technology Center 1600